



AS SIMPLE AS PRESSING the start button



REVO Lution continues

Optopol engineering team, the designers of the first commercially available Spectral Domain OCT in the world, are proud to present the latest innovation, the world's first B-OCT and T-OCT for standard posterior OCT.

Our supreme experience in Spectral Domain OCT allows us to provide the market with a state of the art instrument which comes with new advanced technologies and remarkable simplicity of operation.

The latest software release sets up new demands for daily OCT routine in a modern ophthalmic practice.

The new modules expand the diagnostic range of OCT by the addition of Posterior and Anterior segment, Corneal topography and Optical biometry with minimum patient fatigue and chair time.

New OCT standard - All functionality In One device.

Once again Revo NX goes beyond the limits of standard OCT. With its new software, our Revo NX enables a full functionality scanning from the retina to the cornea. It brings benefits by combining the potential of several devices. With REVO you can measure, quantify, calculate and track changes from the cornea to the retina over time with just one OCT device.

OCT made simple as never before

Position the patient and press the START button to acquire examinations of both eyes. The Revo NX, using vocal messages, guides the patient through the process, increasing comfort and reducing patient chair time. Short scanning time means less fatigue for the patient. The ability to create customized scanning protocols of different diagnostic scenarios speeds up the workflow.

A perfect fit for every practice.

With a small system footprint and access for both the operator and the patient needed from only one side, space saving is further enhanced. In addition, the single cable connection allows the installation of REVO NX into the smallest of examination room. Revo's variety of examination and analysis tools enables it to function effortlessly as a screening or advanced diagnostic device.

Enhanced vitreous and choroidal details

Enhanced visualization of vitreous and choroid helps to verify the condition below and above the patient's retina faster and easier. The Caliper tool allows to quantify Choroidal thickness.





REVONX offers the latest standards available in OCT technology

RETINA

A single 3D Retina scan performs both Retina and Glaucoma analyses. The software automatically recognizes 8 retinal layers which assists with a precise diagnosis and the mapping of any changes in the patient's condition. A variety of result analysis and presentation methods allows for the best selection suitable to increase efficiency of work.



Comparison





Progression



FOLLOW UP

Revo's standard high density scanning capability and blood vessel structure recognition enable a precise alignment of past and current scans. The operator can analyse changes in morphology, quantified progression maps and evaluate the progression trends.

Progression Morphology



Progression Quantification



WIDEFIELD SCAN

12x12 mm Widefield Central scan is perfect for fast and precise screening of the patient's retina. Dense scanning in high resolution tomograms guarantees the discovery of most of the early changes.

Peripheral scanning can reveal diseases in the far periphery.

Thanks easy fixation changing supported by Auto Position Correction - APC[™] allows for a quick and precise Periphery alignment.



Combined view of two examinations of peripheral scan 12 mm + 12 mm. Done in external software.



ANGIOGRAPHY SOCT¹

This non-invasive dye free technique allows the visualization of the microvasculature of the retina. Both blood flow and structural visualization give additional diagnostic information about many retinal diseases. Angiography scan allows assessment of the structural vasculature of the macula, the periphery or the optic disc. Extremely short scanning times of 1,6 seconds in standard resolution or 3 seconds in high resolution.

Now Angiography OCT can become a routine in your diagnostic practice.



MOST COMPLETE SET OF VIEWS

Software allows to observe, track and compare changes in the microvasculature of the retina in both eyes.

Standard Single View



Detailed Single View







ANGIO-ANALYTICAL TOOLS

FAZ - Foveal Avascular Zone measurements allow to quantify and monitor changes in Superficial and Deep vascular layer. FAZ tool is also available for narrow and wide scans.

VFA - Vascular Flow Area allows to examine the pathologically affected area and precisely measure the area covered by vascularization. User can easily measure area on predefined or own selected vascular layer.









Area [mm²]: 13,45 Flow area [mm²]: 2,85

1 an optional software module to purchase.

ANGIOGRAPHY MOSAIC¹

The Angiography mosaic delivers high-detail images over a large field of the retina. Available modes allow to see predefined region of the retina in a convenient way.



Manual mode allows to scan the desired region.Built-in analytics allow to see vascular layers, enface or thick-ness maps.







BRVO



GA



Healthy patient, Angio Mosaic mode: 7×7 mm



PDR, Angio Mosaic mode: 10x10 mm



*Images courtesy of Bartosz L. Sikorski MD, PhD



ANTERIOR

For a standard anterior examination, an additional lens or attachment is not required. This allows the examiner to quickly complete the scanning procedure.

Presentation of the results for both eyes allows quick and precise evaluation of the condition of the patient's anterior segment.

Epithelium and Pachymetry map are included in the standard package.



Comparison



Progression

Angle Both



An additional adapter included in the package increases the range of clinical application in Anterior chamber observation.

Angle to Angle scan, narrow angles



Wide cornea scan, Descemet's membrane detachment (DMD) and iridocorneal adhesions



* Images courtesy of Prof. Edward Wylęgała MD, PhD

TOPOGRAPHY OCT¹

T-OCT[™] is a pioneering way to provide detailed corneal Curvature maps by using posterior dedicated OCT. Anterior, Posterior surface and Corneal Thickness allow to provide the True Net Curvature information. With Net power, the precise understading of the patient's corneal condition comes easily and is free of errors associated with modelling of posterior surface of the cornea. SOCT T-OCT module provides Axial maps, Tangential maps, Total Power map, Height maps, Epithelium and Corneal thickness maps.

Corneal topography module clearly shows the changes in the cornea on the difference map view. Customize your

favoured view by s electing a variety of available maps and display options. Fully Automatic module capture with examination time of up to 0.3 sec makes testing quick and easy.

Topography module provides:

- Full featured Corneal mapping of Anterior, Posterior and Real
- Precise Astigmatism Display Option (SimK: Anterior, Posterior, Real, Meridian and Emi-Meridian Ø 3, 5, 7 mm zones

KERATOCONUS SCREENING

Easly detect and classified keratoconus with Keratoconus classifier. Classification based on KPI, SAI, DSI, OSI and CSI. In the early stages of keratoconus the results can be complemented by Epithelium and Pachymatery maps.



COMPARE THE EXAMS

Comprehensive software features a range of selectable views: Single, Both. See details on standard Singe view and easly see corneal asymmetry on the Both view.

The follow-up feature in to the T-OCT[™] module, allows fully compare the changes in the corneal topography over time for:

- LASIK undergone patients
- Keratoconus patients
- The contact lens wearers

Single



Comparison



Both



Progression





GLAUCOMA

Comprehensive glaucoma analytical tools for quantification of the Nerve Fiber Layer, Ganglion layer and Optic Head with DDLS allow for the precise diagnosis and monitoring of glaucoma over time.

With the golden standard 14 optic nerve parameters and a new Rim to Disc and Rim Absence the description of ONH condition is quick and precise.

Advanced view which provides combined information from Retina and Disc scan to integrate details of the Ganglion cells, RNFL, ONH in a wide field perspective for comprehensive analysis.

Asymmetry Analysis of Ganglion layers between hemi-spheres and between eyes allows easier identification and detection of glaucoma in early stages and in non-typical patients.

Implemented the DDLS - Disc Damage Likelihood Scale which use 3 separate classification for small, average and large discs. It supports the practicioner in a quick and precise evaluation of the patient's glaucomatous disc damages. Advance Retina & ONH



ONH Single





ONH Both

Ganglion Both



ONH Progression

Ganglion Progression



COMPLET YOUR GLAUCOMA REPORT

To eliminate common problem with the understanding of the patient's IOP pachymetry module provides IOP Correction value. With the implemented Adjusted IOP formula you can quickly and precisely understand the measured IOP value.

As the Pachymetry and Anterior Chamber Angle Verification require no additional attachments, the predefined Glaucoma protocol, which consists of Retina, Disc and Anterior scans, can be done automatically to reduce patient chair time.





Anterior single view



* Images courtesy of Prof. Edward Wylęgała MD, PhD

Result review

BIOMETRY OCT¹

B-OCT® Innovative method of using the posterior OCT device to measure ocular structure along eye axis.

along eye axis. OCT Biometry provides a complete set of Biometry parameters: Axial Length AL, Central

Single view





Cornea Thickness CCT, Anterior Chamber Depth ACD, Lens Thickness LT.

VERIFY YOUR MEASURMENT VISUALLY

All measurement callipers are shown on all boundaries of OCT image provided by REVO. Now, you can visually verify, identify and if need be, make corrections as to which structure of the eye has been measured. With a simple cursor shift it possible to precisely set boundaries for every difficult patient with 5µm axial resolution.

From now on you can eliminate the common uncertainty as to how the optical biometer classifies the boundaries in non-typical patients.

Dense cataract and high myopia



*Images courtesy of Bartosz L. Sikorski MD, PhD

DICOM, EMR, NETWORK ITEGRATION

A proficient networking solution increases productivity and enhances the patient experience. It allows you to view and manage multiple examinations from review stations in your practice. It effortlessly facilitates patient education by allowing you to interactively show examination results to patients. Every practice will have different requirements which we can cater for by tailoring a bespoke service. DICOM connectivity allows the connection of the REVO into large hospital medical systems. It is possible to send worklists (MWL) and reports (C-storage) or the whole examination to viewing stations. CMDL interface enables the integration of the REVO into practice management systems. There is no additional charge for the networking and DICOM functionality.

1 an optional software to purchase

CLINICAL IMAGES

Central 12 mm scan



Central 12 mm scan



Choroidal observation



Sample of angio Manual mode



*Images courtesy of Bartosz L. Sikorski MD, PhD

Cornea scan, Fuchs' Endothelial Corneal Dystrophy



Cornea scan, Posterior graft (DSAEK) detachment



Anterior scan, Cornea Guttata with corneal scaring



Angle to Angle scan, Ciliary Body visible



*Images courtesy of Prof. Edward Wylęgała MD, PhD



REVONX TECHNICAL SPECIFICATION

Technology	Spectral Domain OCT
Light source	SLED, wavelength 830 nm
Bandwidth	50 nm half bandwidth
Scanning speed	110 000 measurements per second
Axial resolution	5 µm in tissue
	2.6 µm digital
Transverse resolution	12 μm, typical 18 μm
Overall scan depth	2.4 mm
Minimum pupil size	3 mm
Focus adjustment range	-25 D to +25 D
Scan range	Posterior 5–12 mm, Angio 3–9 mm, Anterior 3–16 mm
Scan types	3D, Angio ¹ , Radial (HD), B-scan (HD), Raster (HD), Cross (HD)
Fundus image	Live Fundus Reconstruction
Alignment method	Fully automatic, Automatic, Manual
Retina analysis	Retina thickness, Inner Retinal thickness, Outer Retinal thickness RNFL+GCL+IPL thickness, GCL+IPL thickness, RNFL thickness, RPE deformation, IS/OS thickness
Angiography OCT ¹	Superficial Plexus, Deep Plexus, Outer Retina, Choriocapilaries, Depth Coded, Custom, Enface, Thickness; FAZ, VAS, NFA tools
Angiography mosaic	Acquistion method: Auto, Manual Predefined auto modes: 7×7mm, 10×6 mm, 10×10 mm, 12×5 mm, Manual
Glaucoma analysis	RNFL, ONH morphology, DDLS, OU and Hemisphere asymmetry, Ganglion analysis as RNFL+GCL+IP and GCL+IPL
Biometry OCT ¹	AL, CCT, ACD, LT
Corneal Topography Map ¹	Axial [Anterior, Posterior], Refractive Power [Kerato, Anterior, Posterior, Total], Net Map, Axial True Net, Equivalent Keratometer, Elevation [Anterior, Posterior], Height
Anterior	Pachymetry, LASIK Flap assesment, AIOP, Angle Assessment, AOD 500/750, TISA 500/750
Anterior Wide Scan	Angle to Angle view (Adapter required)
Connectivity	DICOM Storage SCU, DICOM MWL SCU, CMDL, Networking
Dimensions (W×D×H)	382×549×462 mm
Weight	23 kg
Fixation target	OLED display (the target shape and position can be changed), external fixation arm
Power supply	100–240 V, 50/60 Hz
Power consumption	115–140 VA
¹ optional software module	((